

A diagram showing the decomposition of the number 10 into two rows of blocks. The top row contains 8 blocks and the bottom row contains 2 blocks, totaling 10 blocks.

[illegible]

0000 : ‘00 000000, 0000 0000 000000 0000 000000 000000 0000 00
 000 000000 0000 000000 000000 000 000 000000 000000 000000 000000
 000000 000000 000000 0 00 000000 0000 000000 000000 000000
 0000000000 0 0000000000 000000 0000 00 000000, 000 0000 000000
 0000000 00000000 00000000 000 000 000000 00000000 0000 000000’

000000 000 00 000000 0000000 0000000 00 000 00000000 000 0000000
 0000000 00000 0 000000000 0000000 00000000 0000 000000 000000
 (0000000, 000000 : 000) 000000 000 (00.) 0000000 0000000000 000 000
 00000 000000000 0000000 000000 00000 00000 000000 000000

[illegible]

000. 0000 00000000 000 00000000 0000 0000 0000 000000 (00.)-00
 00000000 000000, 000 00 0000 00000000 0000000000 00000;

0000-0000 00000000 0000000000 000000 00, 000 000000 000 000 000, 00 00000000 0000000 000000 00000000 0000 0000 0000000 0000 000 0000000 0000000000 000 0000 0000 00000000 0000 000 0000 000000000000 000 000 0000 000 000000000 000 000 0000000 0000000 000000 000000 000000 000000000000 000000000 000 0000000000 000 00000000 00000000 0000 00000000 0000 00000000 0000 00000000 0000 00000000 0000 00000000 00. 0000000 0000 0000, 000 00000000 00000000 000000 0000 00000 00000 000000000000 0000000000 0000 0000 000 00000000 0000 0000 00000000 00000000 0000 (000000, 0000000000 0 000000000 000000000 (00.), 00. 000)